



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 09/772,830 | 01/30/2001 | Frank K. Baker JR. | SC11150TH | 2027 |

23125 7590 07/28/2005

FREESCALE SEMICONDUCTOR, INC.
LAW DEPARTMENT
7700 WEST PARMER LANE MD:TX32/PL02
AUSTIN, TX 78729

EXAMINER

NAMAZI, MEHDI

ART UNIT PAPER NUMBER

2189

DATE MAILED: 07/28/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/772,830

Applicant(s)

BAKER ET AL.

Examiner

Mehdi Namazi

Art Unit

2189

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 February 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-4,6-10 and 12-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4,6-10 and 12-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

1. In view of the appeal brief filed on February 10, 2005, PROSECUTION IS HEREBY REOPENED. New ground of rejection are set forth below.

To avoid abandonment of the application, appellant must exercise one of the following two options:

(1) file a reply under 37 CFR 1.111 (if this Office action is non-final) or a reply under 37 CFR 1.113 (if this Office action is final); or,

(2) request reinstatement of the appeal.

If reinstatement of the appeal is requested, such request must be accompanied by a supplemental appeal brief, but no new amendments, affidavits (37 CFR 1.130, 1.131 or 1.132) or other evidence are permitted. See 37 CFR 1.193(b)(2).

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-4, 6-10, 12-14, 16-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Okuno (US. Patent 6,105,114), and further in view of Morgan (U.S. No. 6,083,271).

As per claim 1, 6, and 16, Okuno teaches a memory system comprising: an array of addressable storage elements arranged in a plurality of rows and a plurality of

Art Unit: 2189

columns (fig. 9); and decoding circuitry coupled to the array of addressable storage elements (fig. 5), the decoding circuitry, responsive to decoding a first address, to access a first storage element of a first row of the plurality of rows, and the decoding circuitry, responsive to decoding a second address consecutive to the first address, to access a second storage element of a second row of the plurality of rows (fig. 8A shows accessing first and second row consecutively, the second row of the plurality of rows different from the first row of the plurality of row (fig. 9 shows first row is different from second row); wherein the first address comprises a group of bits (inherent, because any address is comprising of plurality of bits); wherein the second address comprises a group of bits (inherent, because any address is comprising of plurality of bits); wherein the decoding circuitry includes a row decoder and a column decoder (fig. 5 elements 3, and 4); wherein the row decoder is operable responsive to a first portion of the group of bits of the first address and the second address (fig. 11 A); wherein the column decoder is operable responsive to a second portion of the group of bits of the first address and the second address (fig. 11B), wherein a bit of the second portion is more significant than a bit of the first portion (cols. 7-8, lines 65-8).

As per claims 14, 22, and 25 Okuno teaches an embedded control system comprising: a processor (it is inherent for any system to have a processor which has not been shown here); and a memory system coupled to the processor (fig. 5), the memory system comprising an input to receive an address signal from the processor (fig. 5, "address signal ADR"), an output to send addressed information to the processor, and a plurality of blocks, each of the plurality of blocks

Art Unit: 2189

comprising: an array of memory cells arranged in a plurality of rows and a plurality of columns to store information within a plurality of pages (fig. 9), each of the plurality of pages comprising a plurality of words (inherent), each of the plurality of words comprising a plurality of bits (inherent); and decoding circuitry comprising a column decoder and a row decoder (fig. 1, elements 3, and 4), the decoding circuitry coupled to the input, the output and the array of memory cells (fig. 5), the decoding circuitry, responsive to the address signal having a first address, accessing a first page of a first row of the plurality of rows, the decoding circuitry, responsive to the address signal having a second address consecutive to the first address, accessing a second page of a second row of the plurality of rows, and, thereafter (fig. 8A shows accessing first and second and rows), the decoding circuitry coupling the first and second pages to the output (accessing first row as page address and second row as second page); wherein the address signal comprises a group of bits (inherent); the row decoder is operable responsive to a first portion of the group of bits; the column decoder is operable responsive to a second portion of the group of the bits, wherein each bit of the second portion is more significant than a least significant bit of the first portion (cols. 7-8, lines 65-8).

As per claims 1, 6, 16, 14, 22, and 25, Okuno teaches the claimed invention as detailed above in the previous paragraph, but fails to teach a storage with plurality of nonvolatile memory cells.

Morgan discloses a Random Access Memory (RAM) which does not permanently store information (cols. 5-6, lines 66-1). However, to make the RAM memory non-volatile, it is known to connect a battery to RAM device (col. 6, lines 4-6).

Therefore, it would have been obvious to one having ordinary skill in the art at the time of invention was made to incorporate the method of connecting a battery to a RAM device to make a non-volatile memory as taught by Morgan in corresponding to the storage device of Okuno. The modification would be obvious because of one of ordinary skill in the art would be motivated to connect a battery to a RAM device in order to make the information stored in the battery-backed RAM device non-volatile (col. 6, lines 5-7).

As per claims 2, 8, Okuno teaches wherein each of the storage elements stores one bit (it is inherent for each cell to store at least one bit of data).

As per claims 3, 9, Okuno teaches wherein each of the storage elements stores a plurality of bits arranged as a word (fig. 9, any few cells together could create a word).

As per claims 4, 10, Okuno teaches wherein each of the storage elements stores a plurality of bits arranged as a page (fig. 9, each row is comprising a plurality of bits to create a page).

As per claim 7, Okuno teaches wherein:

- a) the input of each of the storage elements is a control gate, and
- b) the output of each of the storage elements is a drain (fig. 13).

Art Unit: 2189

As per claim 12, Okuno teaches wherein each of the plurality of nonvolatile memory cells comprises a floating gate-type cell (it is inherent to use floating gate to detect the threshold voltage states in the cell transistor).

As per claim 13, Okuno teaches wherein the at least one of the less significant bits comprises all of the less significant bits (col. 8, lines 1-8).

As per claim 17, Okuno teaches wherein accessing a first storage element comprises reading a first page, the first page comprising a plurality of bits (it is inherent to consider first row as first element, wherein each row is comprising a plurality of bits to create a page).

As per claim 18, Okuno teaches wherein accessing a second storage element comprises reading a second page different from the first page, the second page comprising a plurality of bits (it is inherent to consider second row as second element, wherein each row is comprising a plurality of bits to create a second page).

As per claim 19, Okuno teaches wherein accessing a first storage element comprises initiating a first burst access, the first burst access comprising a plurality of bits (it is inherent to access first row as a first burst).

As per claim 20, Okuno teaches wherein accessing a second storage element comprises initiating a second burst access different from the first burst access, the second burst access comprising a plurality of bits (it is inherent to access the second row as a second burst).

As per claim 21, Okuno teaches wherein: the numeric address comprises a group of bits (inherent); the row decoder is operable responsive to a first portion of

Art Unit: 2189

the group of bits; the column decoder is operable responsive to a second portion of the group of bits, wherein each bit of the second portion is more significant than a least significant bit of the first portion (cols. 7-8, lines 65-8).

As per claims 23, and 24 Okuno teaches wherein the at least one of the less significant bits comprises all of the less significant bits (col. 8, lines 1-8).

Allowable Subject Matter

3. Claim 15 is allowed.

Conclusion

4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Art Unit: 2189

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mehdi Namazi whose telephone number is 571- 272-4209. The examiner can normally be reached on Monday-Friday 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mano Padmanabhan can be reached on 571-272-4210. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mehdi Namazi
July 19, 2005

Mano Padmanabhan
7/25/05

MANO PADMANABHAN
SUPERVISORY PATENT EXAMINER